

From:  
Sent:

**Ex. 4 - CBI**

2/2/2012 5:02:25 PM

To:  
CC:  
Subject:

**Ex. 4 - CBI**

R3 ESC-LB: Colleen Walling/ESC/R3/USEPA/US

**Ex. 4 - CBI**

Sample Assignment Memo: WO# 1201015; Dimock Residential Groundwater / DAS R33907

Site Name and DAS/NSF#:

DAS R33907\Dimock Residential Groundwater

Work Order#:

1201015

Parameter(s):

9 Samples 18 Bottles- Alcohols by EPA 8015D

9 Samples 9 Bottles- Anions By IC 300.0

9 Samples 9 Bottles- Glycol by LC/MS/MS

9 Samples 9 Bottles- Nitrite+Nitrate as Nitrogen by EPA 353.2

FIA

9 Samples 127 Bottles- Oil & Grease 1664

9 Samples 9 Bottles - SVOCs by CLP Equivalent

9 Samples 9 Bottles- Total Dissolved Solids by 2540C

9 Samples 8 Bottles- Total Mercury by 245.1

9 Samples 9 Bottles- Total Metals by 200.7

9 Samples 9 Bottles- Total Metals by 200.8

9 Samples 9 Bottles- Total Nitrogen by mod. EPA 353.2 FIA.

9 Samples 9 Bottles- Total Phosphorus by Bran&Lube 365.4

9 Samples 9 Bottles- Total Suspended Solids by 2540D

16 samples 54 Bottles- VOCs by CLP Equivalent (trace)

Number of Samples:  
VOCs.

46 total/ 19 Samples for each parameter to date 26 samples for

Temperature Blank:

1.5, 3.0, 2.0, 1.0, 1.0, 2.0, 2.0

pH: for Inorganic samples NPDES, SF, NSF:  
unpreserved samples with a pH of

All preserved samples received with pH of 2 all

7.

pH: for organic PCB/Pest by Method 608:

Matrix:

Water

Location:

EPA #3 Shelf 1C

EPA #3 Shelf 2B

EPA #3 Shelf 7B

EPA #3 Shelf 8B

EPA #3 Shelf 8D

EPA #5 VOA

EPA #3 Shelf 2C

Due Date:

02/23/2012

Comments:

For Corrections/Omissions call Robin Costas.52659

\*\*\*\*\*

**Ex. 4 - CBI**

LMES&S Chemist  
Lockheed Martin Enterprise Solutions & Services  
Environmental Science Center  
701 Mapes Road  
Ft. Meade, MD 20755-5350

**Ex. 4 - CBI**

\*\*\*\*\*